

The fractal dimension research of Chinese and American beef marbling standards images

Jianwen Chen Meiyong Liu* Li Zong

(College of Engineering, Huazhong Agricultural University, Wuhan,
Hubei province 430070)

Abstract: Beef marbling level is the most important indicators in the evaluation of beef quality. The fractal dimension is closely related to marbling level. In this paper, the theory of fractal dimension is used to analyze beef marbling standards images in China and USA. After comparing several different dimension calculation method, the final method is improved box-counting dimension. Linear regression model of dimension calculation value with this method and marbling level is built. The model results are satisfactory through examination. For further use of samples, this model settles the foundation to establish the grade evaluation methods.

Key words: marbling, longissimus dorsi, fractal dimension, beef quality, standards images

0 Introduction

Assessment of beef quality, is highly valued in foreign countries. Developed countries proposed grading standards earlier, and generated significant economic benefits. China had a late start in this area, and began research in 2000. The

Supported by the fundamental research funds for the central universities, program No.52902-090020/199

assessment of beef quality, marbling quality is the most important indicator. Marbling usually refers to the section pattern of cattle at the 11-13 sternocostal or 5-7 sternocostal fat department^[1] of the longissimus dorsi. Marbling is divided into six levels in USA, from 3 to 8, the quality is getting better and better. Marbling level of 1 and 2 beefs are chopped to use in tin system, do not directly sell. In China, marbling is divided into four levels. From 1 to 4, the quality is getting worse. Beef quality grading has a significant economic effect. Different quality grades of beefs have the difference prices. However, in China and abroad, the main method of beef grade assessment is manual measurement and artificial sensory evaluation, which have low efficiency and error shortcomings.

Fractal theory was proposed by Mandelbrot. The fractal dimension is important object in fractal theory research^[2]. It is a number which describes the complexity of fractal collection. Recently the fractal theory is applied to the assessment of marbling in China and abroad. Some scholars expressed their views, and had mixed results. This paper carries out the corresponding analysis of BMS (beef marbling standards) images in China and America. Specific analysis indicators are the box-counting dimension^[3], differential box-counting dimension, information dimension. Firstly, the background^[4] of beef eye muscle image is removed through using the knowledge of machine vision, then extracting the longissimus dorsi. The fractal dimension of longissimus muscle is increased with the improvement of the marbling quality. After acquiring dimension of different grades marbling, regression mathematical model is established to distinguish the grade.

1 Image processing


To get rid of some interference information, background of the beef image should be removed. Then, by the method of binarization, mathematical morphology, sent shadow method, etc, the fat and proud flesh which surround beef eye muscle^[5] can be removed. Sometimes part of the proud flesh and longissimus muscle contact too close to be divided, because artificial boundaries can open them, so achieving the ultimate goal would be no problem.

1.1 Background removed

Background removal is benefit to extract the longissimus muscle^[6]. Threshold method is used. The background is black, while the beef is red and white color, so the difference is significant. Standards images are only two major categories of the target

and background. So only to select a threshold, it is called single threshold^[7] split. This approach let the gray value of each pixel in the image to compare with threshold. The gray value of pixels which are greater than the threshold is for a class, and the gray value of pixels which are less than the threshold value is to the other class. Significant color is different^[8] at the background and beef, so selecting a appropriate threshold^[9], the background can be removed.

Fig.1 are the third grade image of USA, and the effective image of background removal. To make the effect more obvious, the background is set to white.



(a). The level 3 figure




(b). Background eliminate

Fig.1 Third grade image of America removes background.

1.2 The extraction of longest back muscle

The peripheral of beef eye muscle is the fat and proud flesh^[10].To extract the longissimus dorsi, they should be get rid. The image type conversion, mathematical morphology^[11], the mark function, properties function, sent shadow method ,image restoration, etc ,are used^[12] to get the longissimus muscle.

Fig.2 show the American seventh level image and processed result.



(c). American 7th level image



(d). Longissimus muscle

Fig.2 The American 7th level image and processed result.

For some images, some proud flesh and longissimus muscle is too tight^[13] to be separated. For example, Fig.3 show third level image and processed result. This requires other methods ,so several methods are used to compare for the best.




(e). Level 3 original



(f). Longissimus muscle diagram with proud flesh

Fig.3 The third level image and processed result

The shape of longissimus muscle likes an oval. Tring to draw a white oval with right size to be the artificial boundaries, the effect is well as shown in Fig.4-(h).



(g). To add a ellipse



(h). Processed results

Fig.4 Adding ellipse and then extracting the longissimus dorsi muscle.

Fig.4- (h) has no proud flesh, but longissimus muscle area decreases.

The iterative morphology method is also used. Firstly, let Fig.3-(f) be binary. In addition , structural element of "disk"^[14] is used. Figure erodes and dilates four times, and then using a "for" loop program^[15] which makes the image to recruit into RGB diagram.

Fig.5 shows the effect. However, Fig.5 still has a few proud flesh which is not removed, and a few part of longissimus muscle is split off. It is better than Fig.4-(h).Although, the best method is needed.



Fig.5 Iterative corrosion and expansion to image.

Fig.4-(g) paints oval to remove proud flesh, but longissimus muscle is lost a few. To further improve the method, if at the close connection of proud flesh and longissimus muscle, drawing a curve to be artificial boundaries, the effect may be well.

On the third level image of the United States, at the closely connection of proud flesh and longissimus dorsi, two white curves are drawn. Then dealing with separately^[16], the proud flesh is removed, as shown in Fig.6.




(i) .Add curves




(j). Processing results

Fig.6 Drawing curves and then extracting the longissimus muscle.

Some standards images, at the departments of proud flesh and longissimus muscle connecting closely, also do this processing, the result is quite good too. Fig.7 are longissimus muscle diagrams of Chinese second and third grade images,for example.



(k). Longissimus muscle of Level 2



(l). Longissimus muscle of Level 3

Fig.7 Longissimus muscle diagrams of Chinese standards images.

2 The application of fractal dimension

Four kinds of fractal dimension calculation methods and MATLAB software^[17] are used. Method 1 is traditional box-counting dimension algorithm. Method 2 is the differential box-counting algorithm. Method 3 is information dimensional algorithm. Method 4 is improved box-counting dimension algorithm. These four methods are with a number of step r_i to divide the grids that cover the longissimus muscle image. If fat particles are in the mesh^[18], counting them and summing to get Nr , then marking point $(\log(1/r_i), \log(Nr_i))$ on a double logarithmic coordinates, fitting them with a straight line, finally absolute value of the line's slope is dimension value.

2.1 Compare fractal dimension calculation method

2.1.1 Method one is traditional box-counting dimension algorithm.

The calculation of the box-counting dimension, intuitive understanding, is counting the number of lattice^[19]. Binary image is covered with small square box of different side length, and different side length of the small square box to cover it, the box number is also different. Side length r and a total of not empty small box $N(r)$, meet the relationship test: $D_b = -\lg N(r) / \lg(1/r)$. D_b is the box dimension. Scale size r is usually 2^n . A series of non-empty box number are acquired in the different proportion sizes of r . The reciprocal of r , and the number of these non-empty boxes, are set in double logarithmic coordinate^[20], by least squares linear to fit them, then the absolute value of slope is the box dimension. Table 1 is results of this method to obtain.

Table 1. Results of traditional box counting dimension method for calculating values.

American level	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Fractal dimension	1.2222	1.2324	1.2343	1.2185	1.2314	1.2204
Chinese level	Level 1	Level 2	Level 3	Level 4		
Fractal dimension	1.2719	1.2763	1.2714	1.2751		

This method is time-consuming^[21] a bit long, about three seconds. The law of increasing dimension value with the high quality of marbling is less obvious.

2.1.2 Method two is differential box-counting dimension algorithm.

Differential box-counting algorithm^[22] has three dimensions. The third dimension is the image gray. Let $M \times M$ size image divided into $S \times S$ sub-block ($M/2 \geq S > 1$, S for integer), and $r = S/M$. To imagine the images into surfaces^[23] of three-dimensional space, x , y represents plane position, and z -axis represents the gray value. X - Y plane is divided into a lot of $s \times s$ grid. In each grid is an $s \times s \times s$ box. For different r and the calculation of non-empty box N_r , using the least squares linear to fit, the fractal dimension D could be obtained. The calculation results are shown in Table 2.

Table 2. Results of differential box-counting dimension method to calculate values.

American level	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Fractal dimension	2.1263	2.1253	2.1450	2.1250	2.1352	2.1322
Chinese level	Level 1	Level 2	Level 3	Level 4		
Fractal dimension	2.2983	2.2485	2.1709	2.1139		

The differential box-counting algorithm, to the Chinese images, the values are well; but the images to the United States, less than ideal, the law that the fractal dimension value increments with high quality of marbling is not very obvious.

2.1.3 The third method is the information dimension.

This method is similar to traditional box-counting dimension algorithm^[24]. Let N be the total fat information elements, N_i is fat information on the number of elements contained in each cover, the probability that fat distribution of information in each coverage is: $P_i = N_i / N$. Amount of fat information is $I_i = -P_i \ln P_i$. The amount of fat

information is $I(r)$. Changing the scale r , $I(r)$ with the $1/r$ meet the relationship test: $I(r) \propto (1/r)^D$. D is its information dimension. Results are shown in Table 3.

Table 3. Results of information dimension method to calculate values.

American level	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Fractal dimension	1.7516	1.7479	1.7492	1.7500	1.7521	1.7624
Chinese level	Level 1	Level 2	Level 3	Level 4		
Fractal dimension	1.6978	1.6834	1.6667	1.6942		

Information dimension method, its effect is not very satisfactory. The law^[25] that incremental dimension value with the high quality of marbling is also not very obvious.

2.1.4 Method four is an improved box-counting dimension.

For the above three methods, the values which are obtained are not very satisfactory. Method four is proposed: an improved box-counting dimension. It is used in the binary image of the longissimus dorsi. Method four has improvements and advantages as follows.

2.1.4.1 Square (box) side lengths are with a lot of data, meaning that the mesh number of times is a lot, not just the 2^n . It can help improve data accuracy.

2.1.4.2 When the image size could not be a square side length divisible, then rounding the excess with only small "margins" section, thus reducing outside interference.

2.1.4.3 It gives value "1" pixel of binary chart, accounting for the entire map of the area proportion. This reflects objectively the number of marble pattern.

2.1.4.4 D numerical is strong regularity that they show an increasing trend with marbling levels increase.

2.1.4.5 Calculation of the dimension values is short time-consuming. Evaluating the code, the results show out immediately.

The calculation results of method four are shown in Table 4.

Table 4. Results of improved box-counting dimension method to calculate values.

American level	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Fractal dimension	1.8159	1.8242	1.8575	1.8646	1.8754	1.8960
Chinese level	Level 1	Level 2	Level 3	Level 4		
Fractal dimension	1.9630	1.9521	1.9168	1.8819		

This method is time-consuming short. When the program is evaluated, the results show out immediately. In the images of China and the United States, the values obtained increase with the quality of marbling became high.

After comprehensive comparison, method 4, an improved box-counting dimension method is the best, so use it to judge the grade.

2.2 Calculating and testing of improved box-counting dimension method

Detailed results of calculation and test are in Table 5 and Table 6. Exel is used to test significance of calculated data through method 4. That is to view R^2 value of fitting equation.

Table 5. Fitting results of American images' fractal dimension value.


American level	Fitting equation	Dimension	R^2
3	$y = -1.8159 x + 11.9629$	1.8159	0.9894
4	$y = -1.8242 x + 11.9983$	1.8242	0.9899
5	$y = -1.8578 x + 12.1418$	1.8578	0.9914
6	$y = -1.8646 x + 12.1702$	1.8646	0.9919
7	$y = -1.8753 x + 12.2148$	1.8753	0.9925
8	$y = -1.8960 x + 12.3010$	1.8960	0.9936

Table 6. Fitting results of Chinese images' fractal dimension value.

Chinese level	Fitting equation	Dimension	R^2
1	$y = -1.9630 x + 11.8332$	1.9630	0.9936
2	$y = -1.9521 x + 11.7887$	1.9521	0.9927
3	$y = -1.9168 x + 11.6423$	1.9168	0.9906
4	$y = -1.8947 x + 11.5479$	1.8947	0.9899

Seeing from the tables, the fitting equations are obvious in significance level.

Two images' fitting maps are giving out. Fig.8 are the fitting diagram of the seventh grade of USA, and third grade of China.



(m). Fitting figure of American seventh grade image

(n). Fitting figure of Chinese third grade image

Fig.8 Two standards images fit in diagram.

3 Marbling grade of mathematical model

3.1 Mathematical model of American images

Assuming that the regression equation is: $T = a + b * D$. Level value T with the box-counting dimension value D, as well as the T^2 , D^2 , $D * T$, etc^[26], are used. Through regression analysis, a regression equation is established about the American images:

$$T = -105.9740 + 60.0746D \tag{1}$$

T is level value, and D is fractal dimension value in equation (1). Through F-test, the equation is significant at level of $\alpha = 0.05$.

3.2 Test of equation (1)

Results of the equation (1) are examined, only validation of level 5 is mistaken. The accuracy rate is 83.33%, as shown in Table 7.

Table 7. Level verification of equation (1).

The actual level	Calculated value	Round
------------------	------------------	-------

3	3.1155	3
4	3.6141	4
5	5.6146	6
6	6.0411	6
7	6.6899	7
8	7.9274	8

3.3 Mathematical model of Chinese images

Similarly, through regression analysis, combined with the corresponding value, regression equation is established:

$$T=68.7368-34.3471D \quad (2)$$

T is level value, and D is fractal dimension value in equation (2). Through F-test, the equation is significant at level of $\alpha = 0.05$.

3.4 Test of equation (2)

Results of the equation (2) are examined. The accuracy rate is 100%, as shown in Table 8.

Table 8. Level verification of equation (2).

The actual level	Calculated value	Round
1	1.3134	1
2	1.6876	2
3	2.9003	3
4	4.0990	4

4 Conclusion and suggestion

This study, first of all is the standards images' processing that to extraction longissimus muscle. To figures of some proud flesh and longissimus dorsi closely

connected, three image segmentation methods are compared. The optimal method is to add curve manually.

For Chinese and American images, four fractal dimension methods are used. After comparison, the final choice is improved box-counting dimension algorithm. Dimensions obtained through this method are regularity, that the D values become larger with increased beef marbling levels.

Using regression equations to establish a linear mathematical model, the effect is well. Mathematical model of American images, the accuracy rate is 83.33%; to Chinese images, the accuracy rate is 100%.

BP network, and support vector machine modeling methods can be tried to compare the classification results. Some rounded values, although are correct, but they are close to the median. Trying other mathematical models, the accuracy may be higher.

References

1. National beef grading methods and standards-NY / T. 676-2010
2. Chu Donghong, Wang Xianggong. Fractal geometry in applied geophysics [J]. Foreign oil and gas technology, 1995, 4 (9): 44 ~ 52
3. Chen Kunjie. Beef marbling box-counting dimension and information dimension determination [J]. Agricultural Engineering, 2007, 23 (7): 145 ~ 149
4. Tadhg Brosnan, Dawen Sun. Inspection and grading of agricultural and food products by computer vision systems to review, Computers and Electronics in Agriculture, 2002,36: 193~213
5. Chen Kunjie, Qin Chunfang, Ji Changyin. The research of cattle carcass eye flesh image segmentation method[J]. Agricultural Machinery, 2006, 37 (6): 155 - 158
6. D. E. Gerrard, X. Gao, and J. Tan. Beef marbling and color score determination by processing[J]. Journal of Food science, 1996,61(1):145~148
7. K Chen, Ch Qin, Mcdonald. Segmentation of Beef Marbling based on Vision Threshold[J]. Computers and Electronics in Agriculture, 2008,62(2):223-230
8. Patric Jackman, Gerrard, Cheng Jindu. Prediction of beef eating quality from colour, marbling and wavelet texture features[J]. Meat Science, 2008,80(4):1273-1281
9. Yang Hui. Image segmentation research through threshold value method[J]. Natural science newspaper, 2006, 33 (2): 135 ~ 137

10. McDonald, T. P. Chen. Separating connected muscle issue on images of beef carcass eyes meat[J]. *Trans Of ASAE*, 1990,55(6) :2059~2065
11. Ren Fazheng, Tu Kang, etc. Application of image processing technology evaluation of beef marbling[J]. *Meat Research*, 2002 (4): 14 – 15
12. Shiraniata K, Hayashi K, et al. Grading meat quality by image processing. *Pattern Recognition*, 2000, 33 : 97~104
13. Zhao Jiewen, Liu Mu, Zhang Haidong. Research of beef longissimus dorsi image split and marbling extracting technique based on mathematical morphology [J]. *Agricultural Engineering*, 2004,20 (1):144-146
14. Hu Xiaodong, Dong Chenhui. *MATLAB from entry to master*. People's Posts and Telecommunications Press, 2010
15. Shen Zhenning, Gao Feng, Li Chunbao, etc. Beef grading technology based on computer vision research progress [J]. *Food Science and Technology*, 2008,29 (6): 304 ~ 306
16. Quevedo.R., Calos.L. G., Aguilera. J. M., & Cadoche. L. Description of food surfaces and microstructural changes using fractal image texture analysis. *Journal of Food Engineering*, 2002,53(4):361-371
17. Tan J L. Meat quality evaluation by computer vision. *Journal of Food Engineering*, 2004, 61 : 27~ 35
18. Sun Yonghai, Xianyu Jianchuan, Shi Jing. The computer vision-based analysis method of cooling beef tenderness[J]. *Agricultural Machinery*, 2003,34 (5): 102 ~ 105
19. Li Pengfei, Xing Lixin, Pan Jun, Gu Xiaofeng. Calculation of the fractal dimension and the image edge extraction. *Journal of Jilin University (Information Science)*, 2011,29 (2) :152-156
20. Pentland P. Fractal-based description of natural scenes. *IEEE Transactions on Pattern analysis and Machine Intelligence*,1984,6(6):661 – 674
21. Zhang Qiang, Wang Zhenglin. *Proficient in MATLAB image processing*[M]. Electronics Industry Publishing House .2009
22. Zhang Jizhong. "Fractal" [M], Tsinghua University Press, 2011, the second edition
23. Liu Mengqi, Zhang Xiaoguang, Differential box dimension method on the weld edge detection [J]. *Hebei Industrial Technology*, 2009,26 (5): 300 ~ 302
24. Yin Yuliang, Li Peizhen, Kang Yuyun, etc, A Survey and Research of fractal theory [J]. *Science and Technology*, 2007 (15): 152-170
25. Zhao Haiying, Yang Guangjun, Xu Zhengguang. The comparing of Image fractal dimension calculation methods[J]. *Computer system apply*, 2010 , 20 (3): 238-241 , 246
26. Li Yunyan, Hu Chuanrong. *Experimental design and data processing (second edition)*, Beijing Chemical Industry Press, 2011: 82-93